1. A condensed pyridine compound (I) represented by the following formula, its pharmaceutically acceptable salt or hydrates thereof

$$\begin{array}{c|c}
R^3 & (CH_2)_n - E \\
R^1 - A & N & (I)
\end{array}$$

Wherein, ring A represents benzene ring or pyridine ring;

R¹ represents hydrogen atom, halogen atom, a lower alkyl group
or a lower alkoxyl group;

R² represents 4-morpholiny group, 1-imidazolyl group, 1-lower alkyl homopiperazin-4-yl group or any one selected from the groups represented by the following formulae:

$$+N$$
 $T-R^4$
 $+N$
 R^5
 $-N$
 $=N$

(wherein, T represents nitrogen atom or methine group;

R³ represents hydrogen atom, halogen atom, a lower alkyl group
or a lower alkoxyl group;

R⁴ represents hydrogen atom, a lower alkyl group, a hydroxy lower alkyl group, a halogenated lower alkyl group, a lower cycloalkyl group, an aryl group, an aralkyl group, 1-piperidyl group, an alkenyl group, a cyano lower alkyl group, a carbamoyl lower alkyl group, a lower acyl group, an aromatic acyl group, a lower alkoxyl

carbonyl group, an aryloxycarbonyl group or an aralkyloxycarbonyl group;

R⁵ and R⁶ are the same as or different from each other and each represents hydrogen atom, a lower alkyl group, a di lower alkyl aminoalkyl group, an optionally substituted heteroaryl lower alkyl group);

n represents 0 or an integer of 1 to 6; and
Brepresents an optionally substituted aryl group, an optionally substituted heteroaryl group, an optionally substituted aralkyloxy group, an aryl (hydroxy) alkyl group, an aromatic acyl amino group, an arylsulfonylamino group, a lower alkoxyl arylsulfonylamino group, a hydroxy lower alkoxyl styryl group, a lower alkoxyl aryloxy group, 4-phenylpiperidin-1-yl group, 4-pyridylpiperidin-1-yl group, an optionally substituted arylalkenyl group, an optionally substituted arylalkenyl group, an optionally substituted heteroarylalkenyl group, an optionally substituted heteroarylalkynyl group, an aromatic acylalkynyl group, an optionally N-substituted amino lower alkyl group, an optionally substituted arylamino gr

$$+ (O)z - R^{7} R^{8} - (CH_{2})m - R^{10} - R^{10}$$

$$R^{13}$$
 R^{14}
 R^{15}
 R^{16}
 R^{16}
 R^{19}
 R^{20}
 R^{21}
 R^{21}
 R^{22}
 R^{23}
 R^{24}
 R^{25}
 R^{25}
 R^{26}
 R^{26}

(wherein z represents 0 or 1;

Q represents nitrogen atom or methane group;

R⁷, R⁸ and R⁹ are the same as or different from each other and each represents hydrogen atom, halogen atom, hydroxyl group, a lower alkyl group, a lower alkynyl group,

SUM AL

a lower alkoxyl group, a lower thioalkoxyl group, a hydroxy lower thioalkoxyl group, an arylthio group, a heteroarylthio group, a heteroaryl(hydroxy)alkyl group, a halogenated lower alkyl group, a hydroxy lower alkyl group, a dihydroxy lower alkyl group, a halogenated (hydroxy) lower alkyl group, a hydroxyalkenyl group, a hydroxyalkynyl group, a hydroxy lower cycloalkenyl group, a lower alkoxy(hydroxy)alkyl group, a lower alkoxy(hydroxy)alkoxy group, a lower alkoxyalkyl group, a lower alkoxyalkoxy group, a lower thioalkoxyalkoxy group, a lower alkylsulfonylalkoxy group, a hydroxy lower alkoxy group, a dihydroxy lower alkoxy group, a hydroxy lower alkylalkoxy group, a hydroxyimino lower alkyl group, a lower cycloalkyl (hydroxy) alkyl group, an aralkyl group, a hydroxyaralkyl group, cyano group, a cyano lower alkyl group, amide group, an N-lower alkylamide group, an N-lower cycloalkylamide group, an N,N-di lower alkylamide group, an N-hydroxy lower alkylamide group, an N-hydroxy lower alkyl-N-lower alkylamide group, an N-arylamide group, cyclic ami\nocarbonyl group, carbamoyl group, an N-lower alkyl carbamoyl group, an N, N-di lower alkyl carbamoyl group, aminosulfonyl group, cyclic aminosulfonyl group, an N-lower alkylaminosulfonyl group, an N-lower cycloalkylaminosulfonyl group, an N,N-di lower alkylaminosulfonyl group, an N-hydroxy lower alkylaminosulfonyl group, an N-lower alkoxyalkylaminosulfonyl group, an N-halogenated lower alkylsulfonyl group, pyrrolidinylsulfonyl group, a lower alkylsulfonylaminoalkyl

group, an N-lower alkylaminosulfonylalkyl group, an N, N-di lower alkylaminosulfonylalkyl group, a lower acyl group, a lower acylalkyl group, a lower cycloalkyl (hydroxy) methyl group, tetrahydropyranyl group, hydroxytetrahydropyranyl group, a hydroxy \lower alkyltetrahydropyranyl group, a lower acylaminoalkyl group, (thiazol-2-yl)hydroxymethyl group, di(thiazol-2-yl)hydroxymethyl group, a lower alkylsulfonyl group, a lower alkoxyalkylsulfonyl group, a hydroxy lower alkylsulfonyl group, a lower alkylsulfonylalkyl group, an N-lower alkylamidealkyl group, an aryl group, an aralkyl group, a heteroaryl group\ a heteroaryl lower alkyl group, a heteroaryl lower alkoxy group \setminus a heteroarylsulfonyl group, 4-morpholinylsulfonyl group, 4-oxythiomorpholinylsulfonyl group, 4-dioxythiomorpholinylsulfonyl group, 4-morpholinylsulfonyl group, a hydroxy lower cycloalkyl group, a hydroxy lower cycloalkyloxy group, a hydroxycycloalkenyl group, a halogenatedhydroxy lower alkyl group, 4-hydroxypiperidyl group, a 4-lower alkoxypiper dyl group, an ω,ω-lower alkylenedioxyalkyl group, an $\omega_{\mathbf{v}}\omega$ -lower alkylenedioxyalkoxy group, a lower cycloalkylhydroxymethyl group, an aryloxy group, anarylaminosulfonylgroup, aminogroup, aloweralkylaminogroup, a di lower alkylamino group, a hydroxy lower alkylamino group, a lower acylamino group, a hydroxy lower acylamino group, a lower alkylsulfonylamino group, a pyridyl lower alkoxy group, a lower alkylpyridylalkoxy group, a lower alkoxyhydroxyalkoxy group, a lower thioalkoxyalkoxy group, a lower alkylsulfonylalkoxy

group, an N-lower alkylcarbamoyl group, an N,N-di lower alkylcarbamoyl group, an N-hydroxy lower alkylcarbamoyl group, an N-hydroxy lower alkyl-N-lower alkylcarbamoyl group, a halogehated lower alkoxy group, a cyano lower alkoxy group, a hydroxy lower cycloalkoxy group, trifluoromethyl group, trifluoromethoxy group, an amino lower alkoxy group, an N-lower alkylaminoalkoxygroup, an N, N-dilower alkylaminoalkoxygroup, a lower acylalkoxy group, a lower acylaminoalkoxy group, a (1,3-dioxolanyl) lower alkyl group, a (1,3-dioxolanyl) lower alkoxyl group, \an amide lower alkoxyl group, a 4-(hydroxyalkyl)\tetrahydropyran-4-yl group, 2,3-dihydrobenzof\ranyl group, a 2-hydroxy-2-alkyl- λ ,3-dihydrobenzofuranyl group, indanonyl group, hydroxyindany \(\) group, an imidazolyl lower alkoxyl group, succinimide group or 2-oxazolidon-3-yl group; furthermore, R⁷ represents hydrogen atom, while R⁸ and R⁹ form cyclopentanone ring, hydroxycyclopentane ring, a hydroxyalkylcyclopentane ring, cyclohexanone ring, hydroxycyclohexane ring, a hydroxyalkylcyclohexane ring, 2-hydroxymethyl-2-methylcyclopentanone ring, 1,2-ethylenedioxy ring or methylenedioxy ring; m or p represents 0 or an integer of 1 to 6; R^{10} , R^{12} , R^{13} , R^{14} , R^{15} , R^{16} , R^{17} , R^{18} , R^{19} , R^{20} , R^{21} , R^{22} , R^{23} , R^{25} , R²⁷ and R²⁹ independently represent hydrogen atom, halogen atom, hydroxyl group, a lower alkyl group, a lower alkoxy group, a hydroxy lower alkyl group, a hydroxy lower alkoxy group or

osaraso csilo:

tetrahydropyranyl group;

R¹¹ represents hydrogen atom, halogen atom, hydroxy group, a lower alkyl group or a lower alkoxy group;

R²⁴ represents hydrogen atom or a lower alkyl group;

R²⁶ represents hydrogen atom or a hydroxy lower alkyl group;

R²⁸ represents hydrogen atom or a lower alkyl group;

R³⁰ represents hydrogen atom, a lower alkyl group, a lower alkoxy group, a hydroxy lower alkyl group or a hydroxy lower alkoxy group;

W represents sulfur atom or oxygen atom; the bond represented by the following formula:

represents a single or double bond; and the bond represented by the following formula:

represents trans or cis bond.).

2. A condensed pyridine compound (II) represented by the following formula, its pharmaceutically acceptable salt or hydrates thereof.

$$R^1$$
 A
 N
 R^2
 $(CH_2)_n$
 (II)

Wherein, ring A represents benzene ring;

R¹ represents hydrogen atom, halogen atom, a lower alkyl group or a lower alkoxy group;

R² represents 4-morpholinyl group, 1-imidazolyl group, a 1-lower

alkylhomopiperazin-4-ylgrouporanyone selected from the groups represented by the following formulae:

$$+N$$
 $T-R^4$
 $+N$
 R^5
 $-N$
 R^6

(wherein, T represents nitrogen atom or methine group; R4 represents hydrogen atom, a lower alkyl group, a hydroxy lower alkyl group, a halogenated lower alkyl group, a lower cycloalkyl group, an aryl group, an aralkyl group, 1-piperidyl group, an alkenyl group, a cyano lower alkyl group, a carbamoyl lower alkyl group, a lower acyl group, an aromatic acyl group, a lower alkoxy carbonyl group, an aryloxycarbonyl group or an aralkyloxycarbonyl group; and

R⁵ and R⁶ are the same as or different from each other and each represents hydrogen atom, a lower alkyl group, a di lower alkylaminoalkyl group, an optionally substituted heteroaryl lower alkyl group.);

n represents 0 or an integer of 1 to 6; and
Brepresents an optionally substituted aryl group, an optionally
substituted heteroaryl group, an optionally substituted
aralkyloxy group, an aryl (hydroxy) alkyl group, an
aromaticacylamino group, an aryl sulfonylamino group, a lower
alkoxyarylsulfonylamino group, a hydroxy lower alkoxystyryl
group, a lower alkoxyaryloxy group 4-phenylpiperidin-1-yl
group, 4-pyridylpiperidin-1-yl group, an optionally
substituted arylalkenyl group, an optionally substituted

arylalkynyl group, an optionally substituted heteroarylalkenyl group, an optionally substituted heteroarylalkynyl group, an aromaticacylalkynyl group, an optionally N-substituted amino lower alkyl group, an optionally substituted arylamino group, an optionally substituted aralkylamino group or any one selected from the groups represented by the following formulae:

$$(O)z \longrightarrow \mathbb{R}^{7} \mathbb{R}^{8} \longrightarrow O - (CH_{2})m \longrightarrow \mathbb{R}^{10} \longrightarrow \mathbb{R}^{11} \longrightarrow \mathbb{R}^{12} \longrightarrow \mathbb{R}^{14} \longrightarrow \mathbb{R}^{14} \longrightarrow \mathbb{R}^{14} \longrightarrow \mathbb{R}^{15} \longrightarrow \mathbb{R}^{16} \longrightarrow \mathbb{R}^{16} \longrightarrow \mathbb{R}^{19} \longrightarrow \mathbb{R}^{19} \longrightarrow \mathbb{R}^{20} \longrightarrow \mathbb{R}^{20} \longrightarrow \mathbb{R}^{21} \longrightarrow \mathbb{R}^{22} \longrightarrow \mathbb{R}^{22}$$

$$\begin{array}{c}
OR^{24} \\
\hline
OR^{25}
\end{array}$$

$$\begin{array}{c}
R^{25} \\
\hline
NR^{27}
\end{array}$$

$$\begin{array}{c}
R^{27} \\
R^{28}
\end{array}$$

$$\begin{array}{c}
R^{29} \\
R^{28}
\end{array}$$

(wherein, z represents 0 or 1;

Q represents nitrogen atom or methine group;

 R^7 , R^8 and R^9 are the same as or different from each other and each represents hydrogen atom, halogen atom, hydroxy group, a lower alkyl group, a lower alkenyl group, a lower alkynyl group, a lower alkoxy group, a lower thioalkoxy group, a hydroxy lower thioalkoxy group, an arylthio group, a heteroarylthio group, a heteroaryl(hydroxy)alkyl group, a halogenated lower alkyl group, a hydroxy lower alkyl group, a dihydroxy lower alkyl group, a halogenated (hydroxy) lower alkyl group, a hydroxyalkenyl group, a hydroxyalkynyl group, a hydroxy lower cycloalkenyl group, a lower alkoxy(hydroxy)alkyl group, a lower alkoxy(hydroxy)alkoxy group, a lower alkoxyalkyl group, a lower alkoxyalkoxygroup, alowerthioalkoxyalkoxygroup, aloweralkyl sulfonylalkoxy group, a hydroxy lower alkoxy group, a dihydroxy lower alkoxy group, a hydroxy lower alkylalkoxy group, a hydroxyimino lower alkyl group, a lower cycloalkyl (hydroxy) alkyl group, an aralkyl group, a hydroxyaralkyl group, cyano group, a cyano lower alkyl group, amide group, an N-lower

S JA

alkyl amide group, an N-lower cycloalkyl amide group, an N, N-di lower alkyl amide group, an N-hydroxy lower alkyl amide group, an Nhydroxy lower alkyl-N-lower alkyl amide group, an N-arylamide group, a cyclic amino carbonyl group, carbamoyl group, an N-lower alkyl carbamoyl group, an N, N-di-lower alkyl carbamoyl group, aminosulfonyl group, a cyclic amino sulfonyl group, an N-lower alkyl aminosulfonyl group, an N-lower cycloalkylaminosulfonyl group, an N,N-di lower alkyl aminosulfonyl group, an N-hydroxy lower alkylaminosulfonyl group, an N-lower alkoxyalkylaminosulfonyl group, an N-halogenated lower alkylsulfonyl group, pyrrolidinylsulfonyl group, a lower alkyl sulfonylaminoalkyl group, an N-lower alkylaminosulfonylalkyl group, an N,N-di lower alkylaminosulfonylalkyl group, a lower acyl group, a lower acylalkyl group, a lower dycloalkyl (hydroxy) methyl group, tetrahydropyranyl group, hydroxytetrahydropyranyl group, a hydroxy lower alkyltetrahydropyranyl group, a lower acylaminoalkyl group, (thiazol-\(\frac{1}{2}\)-yl)hydroxymethyl group, di(thiazol-2-yl)hydroxymethyl group, a lower alkylsulfonyl group, a lower alkoxyalkylsulfonyl ghoup, a hydroxy lower alkyl sulfonyl group, a lower alkyl sulfonylalkyl group, an N-lower alkyl amidealkyl group, an aryl group an aralkyl group, a heteroaryl group, a heteroaryl lower alkyl group, a heteroaryl lower alkoxy group, a heteroarylsulfonyl \group, 4-morpholinylsulfonyl group, 4-oxythiomorpholinylsulfonyl group, 4-dioxythiomorpholinylsulfonyl group,

osasaso.osiaci

4 morpholinylsulfonyl group, a hydroxy lower cycloalkyl group, a hydroxy lower cycloalkyloxy group, a hydroxycycloalkenyl group, a halogenated hydroxy lower alkyl group, 4-hydroxypiperidyl group, a $\mbegin{align*} \mbox{$\lambda$-lower alkoxy piperidyl group, an ω,$$\omega$-lower alkylene} \label{eq:control_contr$ dioxyalkyl group, an ω , ω -lower alkylene dioxyalkoxy group, a lower cycloalkyl hydroxymethyl group, an aryloxy group, an arylaminosulfonyl group, amino group, a lower alkylamino group, a di lower alkylamino group, a hydroxy lower alkylamino group, a lower acylamino group, a hydroxy lower acylamino group, a lower alkylsulfonylamino group, a pyridyl lower alkoxy group, a lower alkylpyridylalkoxy group, a lower alkoxyhydroxyalkoxy group, a lower thioalkoxyalkoxy group, a lower alkylsulfonylalkoxy group, an N-lower alkylcarbamoyl group, an N,N-di lower alkylcarbamoyl group, an N-hydroxy lower alkylcarbamoyl group, an N-hydroxy lower alkyl-N-lower alkylcarbamoyl group, a halogenated lower alkoxy group, a\cyano lower alkoxy group, a hydroxy lower cycloalkoxy group, trifluoromethyl group, trifluoromethoxy group, an amino lower\alkoxy group, an N-lower alkylaminoalkoxygroup, an N, N-dilower alkylaminoalkoxygroup, a lower acylalkoxy group, a lower acylaminoalkoxy group, a (1,3-dioxolanyl) lower alkyl group, a (1, \dioxolanyl) lower alkoxy group, an amide lower alkoxy group, a 4-(hydroxyalkyl)tetrahydropyran-4-yl group, 2,3-dihydrobenzofuranyl group, a 2-hydroxy-2-alkyl-2,3-dihydrobenzofuranyl group, indanonyl group, hydroxyindanyl group, an imidazolyl lower alkoxy group,

group;

form dyclopentanone ring, hydroxycyclopentane ring, a hydroxyalkylcyclopentane ring, cyclohexanone ring, hydroxycyclohexane ring, a hydroxyalkylcyclohexane ring, 2-hydroxymethyl-2-methylcyclopentanone ring, 1,2-ethylenedioxy ring or methylenedioxy ring; m or p represents 0 or an integer of 1 to 6; R^{10} , R^{12} , R^{13} , R^{14} , R^{15} , R^{16} , R^{17} , R^{18} , R^{19} , R^{20} , R^{21} , R^{22} , R^{23} , R^{25} , R²⁷ and R²⁹ independently represent hydrogen atom, halogen atom, hydroxygroup, a loweralkyl group, a lower alkoxygroup, a hydroxy lower alkyl group, a hydroxy lower alkoxy group or tetrahydropyranyl group R¹¹ represents hydrogen atom, halogen atom, hydroxy group, a lower alkyl group or a lower alkoxy group; R^{24} represents hydrogen atom or a lower alkyl group; R²⁶ represents hydrogen atom or a hydroxy lower alkyl group; R²⁸ represents hydrogen atom or a lower alkyl group; R³⁰ represents hydrogen atom, a lower alkyl group, a lower alkoxy

succinimide group or 2-oxazolidon-3-yl group;

furthermore, R7 represents hydrogen atom, while R8 and R9 may

W represents sulfur atom or oxygen atom; the bond represented by the following formula:

represents a single or double bond; and the bond represented by the following formula:

group, a hydroxy lower alkyl group or a hydroxy lower alkoxy

~~

represents trans or cis bond.).

3. The condensed pyridine compound as claimed in Claim 1, which is a compound selected from the compound represented by the following formulae:

(1)
$$(CH_2)_n - R^{33}$$
 (2) $(CH_2)_n - R^{33}$ (3) $(CH_2)_n - R^{33}$ (1) $(CH_2)_n - R^{33}$ (1)

(wherein R^{31} has the same meaning as that of the above R^1 , R^{32} has the same meaning as that of the above R^2 and R^{33} has the same meanings as that of the above B, respectively), its pharmacologically acceptable salt or hydrates thereof.

4. The condensed pyridine compound as claimed in Claim 3, which is a compound represented by the following formula:

Sub A2 (wherein R^{31} has the same meaning as that of the above R^1 , R^{32} has the same meaning as that of the above R^2 and R^{33} has the same meanings as that of the above B, respectively), its pharmacologically acceptable salt or hydrates thereof.

5. The condensed pyridine compound as claimed in Claim 3, which is a compound selected from the compound represented by the following formulae:

(wherein R^{31} has the same meaning as that of the above R^1 , R^{32} has the same meaning as that of the above R^2 and R^{33} has the same meanings as that of the above B, respectively), its

pharmacologically acceptable salt or hydrates thereof.

```
6. The condensed pyridine compound as claimed in Claim
3, which is a compound selected from the following group:

(1)
3-(4-benzyloxybutyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,

(2)
1-(1-methylpiperazin-4-yl)-3-(4-methoxyphenyl)isoquinoline,

(3)
1-(1-methylpiperazin-4-yl)-3-[4-(2-hydroxyethoxy)phenyl]iso
```

(4)

quinoline,

- 1-(4-ethylpiperazin-1-yl)-3-(4-trifluoromethylphenyl)isoqui noline,
- (5)
- 1-(4-ethylpiperazin-1-yl)-3-\[4-(1-fluoropropyl)phenyl]isoquinoline,
- (6)
- 1-(4-ethylpiperazin-1-yl)-3-(2-hydroxyphenyl)isoquinoline,
- (7)
- 1-(4-ethylpiperazin-1-yl)-3-(4-hydroxyphenyl)isoquinoline,
- (8)
- 1-(4-ethylpiperazin-1-yl)-3-(2-methoxyphenyl)isoquinoline,
- (9)
- 1-(4-ethylpiperazin-1-yl)-3-(3-methoxyphenyl)isoquinoline,
- (10)
- 1-(4-ethylpiperazin-1-yl)-3-(4-methoxyphenyl)isoquinoline,

```
(11)
      3-(2,3-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoli
      ne,
       (12)
      3-(2,4-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoli
      ne,
       (13)
      3-(2,5-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoli
      ne,
(14)
      3-(3,4-dimethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinoli
      ne,
       (15)
3-(3,5-dimethoxyphenxl)-1-(4-ethylpiperazin-1-yl)isoquinoli
      ne,
       (16)
       1-(4-ethylpiperazin-1-yl)\-3-(2,4,5-trimethoxyphenyl)isoquin
      oline,
       (17)
       1-(4-ethylpiperazin-1-yl)-3-(\dagger-hydroxymethylphenyl)isoquino
       line,
       (18)
       3-[2-(2-hydroxyethoxy)phenyl]-1-(4-ethylpiperazin-1-yl)isoq
      uinoline,
       (19)
       1-(4-ethylpiperazin-1-yl)-3-[4-(1-hydroxypropyl)phenyl]isoq
```

```
uinoline,
      1-(4\ethylpiperazin-1-yl)-3-[4-(3-hydroxypropyl)phenyl]isoq
      uinolike,
       (21)
      1-(4-ethy)piperazin-1-yl)-3-[4-(1-hydroxybutyl)phenyl]isoqu
       inoline,
       (22)
      1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxybutyl)phenyl]isoqu
inoline,
       (23)
      3-[4-(4-hydroxybutx1)phenyl]-1-(4-ethylpiperazin-1-yl)isoqu
      inoline,
(24)
      3-[4-(1,3-dihydroxypropxl)phenyl]-1-(4-ethylpiperazin-1-yl)
      isoquinoline,
       (25)
      3-[4-(1,3-dihydroxy-3-methylkutyl)phenyl]-1-(4-ethylpiperaz
       in-1-yl) isoquinoline,
       (26)
      3-[4-(3-hydroxy-1-methoxybutyl)phenyl]-1-(4-ethylpiperazin-
       1-yl)isoquinoline,
       (27)
       1-(1-ethylpiperazin-4-yl)-3-[4-(3-hydroxy-1-fluoropropyl)ph
       enyl]isoquinoline,
       (28)
```

```
1\(\frac{4-\text{ethylpiperazin-1-yl}}{3-[4-(4-\text{hydroxymethyl-3-fluoro})ph}
enyNisoquinoline,
(29)
1-(4-ethylpiperazin-1-yl)-3-[3-fluoro-4-(1-hydroxypropyl)ph
enyl]isoquinoline,
(30)
3-[3-chloro-4\(3-hydroxypropyl)phenyl]-1-(4-ethylpiperazin-
1-yl)isoquinolike,
(31)
3-[3-carboxamide-4-\(3-hydroxypropyl)phenyl]-1-(4-ethylpiper
azin-1-yl)isoquinoline,
(32)
3-[3-cyano-4-(3-hydroxypropyl)phenyl]-1-(4-ethylpiperazin-1
-yl)isoquinoline,
(33)
1-(4-\text{ethylpiperazin}-1-y1)-3-[4-\sqrt{3-\text{hydroxypropyl}})-3-\text{methoxyp}
henyl]isoquinoline,
(34)
3-[3-(3-hydroxypropyl)-4-methoxypheny\mathbb{N}-1-(4-ethylpiperazin
-1-yl) isoquinoline,
(35)
3-[3-(4-hydroxybutyl)-4-methoxyphenyl]-1-(4-ethylpiperazin-
1-yl) isoquinoline,
(36)
1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxyethoxy)phenyl]isoq
uinoline,
```

```
(37)
    ,4-(2-dihydroxyethoxy)phenyl]-1-(4-ethylpiperazin-1-yl)
isoquinoline,
(38)
3-[3,5-(2\dihydroxyethoxy)phenyl]-1-(4-ethylpiperazin-1-yl)
isoquinoline,
(39)
3-[3-chloro-4-1/2-hydroxyethoxy)phenyl]-1-(4-ethylpiperazin-
1-yl)isoquinoline
(40)
3-[3-methyl-4-(2-hydroxyethoxy)phenyl]-1-(4-ethylpiperazin-
1-yl) isoquinoline,
(41)
3-[3-isopropyl-4-(2-hydrdxyethoxy)phenyl]-1-(4-ethylpiperaz
in-1-yl) isoquinoline,
(42)
1-(4-ethylpiperazin-1-yl)-3-[4-(2-methoxyethoxy)phenyl]isoq
uinoline,
(43)
3-[3,4-(2-dimethoxyethoxy)phenyl]-1/-(4-ethylpiperazin-1-yl)
isoquinoline,
(44)
3-[4-(2-hydroxyethoxy) methylphenyl]-1-(4-ethylpiperazin-1-y
1) isoquinoline,
(45)
1-(4-ethylpiperazin-1-yl)-3-[4-(2-fluoroethoxy)phenyl]isoqu
```

```
moline,
      3-(3\4-methylenedioxyphenyl)-1-(4-ethylpiperazin-1-yl)isoqu
      inolinè
       (47)
      1-(1-ethylpiperazin-4-yl)-3-(4-acetonyloxyphenyl)isoquinoli
      ne,
       (48)
      3-[4-(3-aminopropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)isoqu
inoline,
       (49)
1-(4-ethylpiperazin-1\yl)-3-[4-(2-dimethylaminoethoxy)pheny
      l]isoquinoline,
       (50)
Lī
      3-[4-(3-acetamidepropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)i
      soquinoline,
       (51)
      3-(4-cyanomethoxyphenyl)-1-(4-ethylpiperazin-1-yl)isoquinol
       ine,
       (52)
       3-[4-(2-cyanoethoxy)phenyl]-1-(4-ethylpiperazin-1-yl)isoqui
      noline,
       (53)
      3-[4-(3-cyanopropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)isoqu
       inoline,
       (54)
```

```
3\[4-(3-methylthiopropoxy)phenyl]-1-(4-ethylpiperazin-1-yl)
       isoquinoline,
       (55)
       3-[4-(3\-methylsulfonpropoxy)phenyl]-1-(4-ethylpiperazin-1-y
       1) isoquinoline,
       (56)
       3-{4-[2-(1-\imidazonyl)ethoxy]phenyl}-1-(4-ethylpiperazin-1-
       yl) isoquinoline,
       (57)
3-{4-[3-(4-pyridyl)propoxy]phenyl}-1-(4-ethylpiperazin-1-yl
       ) isoquinoline,
       (58)
       3-\{4-[2-(2-methylpyridin-5-yl)ethoxy]phenyl\}-1-(4-ethylpipe)
       razin-1-yl) isoquinoline,
(59)
       1-(1-ethylpiperazin-4-yl)\3-[4-(N-ethylcarbamyl)phenyl]isoq
       uinoline,
       (60)
       (Z) -1 - (4-\text{ethylpiperazin} -1-yl) -3 - (4-\text{hydroxyiminomethylphenyl})
       ) isoquinoline,
       (61)
       (E) -1-(4-ethylpiperazin-1-yl)-3-(4\hydroxyiminomethylphenyl
       ) isoquinoline,
       (62)
       3-(4-cyanophenyl)-1-(4-ethylpiperazin-1\yl)isoquinoline,
       (63)
```

```
1\(\frac{1}{4}\)-3-(4-N-propylaminocarbonylphenyl)
      isoquinoline,
       (64)
      3-[4-(4-hydroxy-1-cyclohexen-1-yl)phenyl]-1-(4-ethylpiperaz
      in-1-yl)ikoquinoline,
       (65)
      3-(4-aminophenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline,
       (66)
      3-[4-(N, N-dimeth) lamino) phenyl]-1-(4-ethylpiperazin-1-yl) is
oquinoline,
       (67)
       3-[4-(2-hydroxyethyl)aminophenyl]-1-(4-ethylpiperazin-1-yl)
       isoquinoline,
(68)
      3-(4-acetamidephenyl)-1-(4-ethylpiperazin-1-yl)isoquinoline
       (69)
       3-(4-ethylcarbonylaminophenyl)-1-\(4-ethylpiperazin-1-yl)iso
       quinoline,
       (70)
       3-(4-propylcarbonylaminophenyl)-1-(4-ethylpiperazin-1-yl)is
       oquinoline,
       (71)
       3-(4-ethylsulfonylaminophenyl)-1-(4-ethylpiperazin-1-yl)iso
       quinoline,
       (72)
```

```
-(4-propylsulfonylaminophenyl)-1-(4-ethylpiperazin-1-yl)is
      oquinoline,
      (73)
      3-(4-batylsulfonylaminophenyl)-1-(4-ethylpiperazin-1-yl)iso
      quinoline,
      (74)
      3-(4-sulfonamidephenyl)-1-(4-ethylpiperazin-1-yl)isoquinoli
      ne,
      (75)
      3-[(4-morpholinyl)sulfonylphenyl]-1-(4-ethylpiperazin-1-yl)
      isoquinoline,
      (76)
      3-[(4-thiomorpholinyl) sulfonylphenyl]-1-(4-ethylpiperazin-1
-yl)isoquinoline,
      (77)
      3-[(1,1-dioxythiomorpholiny))sulfonylphenyl]-1-(4-ethylpipe
      razin-1-yl) isoquinoline,
      (78)
      3-(4-ethylsulfonylaminomethylphenyl)-1-(4-ethylpiperazin-1-
      yl) isoquinoline,
      (79)
      3-(4-ethylsulfonylaminoethylphenyl)-1-\(4-ethylpiperazin-1-y
      1) isoquinoline,
      (80)
      3-(4-ethylaminosulfonylmethylphenyl)-1-(4-ethylpiperazin-1-
      yl) isoquinoline,
```

```
(81)
      3-(\darkled-propylaminosulfonylmethylphenyl)-1-(4-ethylpiperazin-1
      -yl) \soquinoline,
       (82)
      3-[4-(N\N-diethylamino) sulfonylmethylphenyl]-1-(4-ethylpipe
      razin-1-xl) isoquinoline,
       (83)
      3-[4-(tetrahydropyran-4-yl)phenyl]-1-(4-ethylpiperazin-1-yl
      ) isoquinoline
(84)
      3-[4-(5,6-dihydro-2H-pyran-4-yl)phenyl]-1-(4-ethylpiperazin
       -1-yl) isoquinoline,
       (85)
      3-(4-ethylcarbonylaminomethylphenyl)-1-(4-ethylpiperazin-1-
Ū
      yl) isoquinoline,
       (86)
            3-(4-propylcarbonylaminomethylphenyl)-1-(4-ethylpiper
       azin-1-yl)isoquinoline,
       (87)
       3-(4-ethylaminocarbonylmethylphenyl)-1-(4-ethylpiperazin-1-
       yl) isoquinoline,
       (88)
       3-(4-propylaminocarbonylmethylphen) 1-(4-ethylpiperazin-1
       -yl)isoquinoline,
       (89)
       3-(4-butylaminocarbonylmethylphenyl)-1-\(4-ethylpiperazin-1-
```

```
yl)isoquinoline,
      (9,0)
      3-(4-methylsulfonylmethylphenyl)-1-(4-ethylpiperazin-1-yl)i
      soquindline,
      (91)
      3-(3-chloro-4-ethylsulfonylaminomethylphenyl)-1-(4-ethylpip
      erazin-1-yl\isoquinoline,
      (92)
      3-(3-chloro-4-propylsulfonylaminomethylphenyl)-1-(4-ethylpi
perazin-1-yl)isoquinoline,
      (93)
      3-(4-morpholinylmethylphenyl)-1-(4-ethylpiperazin-1-yl)isoq
      uinoline,
      (94)
3-(4-thiomorpholinylmethylphenyl)-1-(4-ethylpiperazin-1-yl)
      isoquinoline,
(95)
      3-[4-(3-oxazolidinone)phenyl]\1-(4-ethylpiperazin-1-yl)isoq
      uinoline,
      (96) ·
      3-[4-(4,4-ethylenedioxypiperidin-1\-yl)phenyl]-1-(4-ethylpip
      erazin-1-yl) isoquinoline,
      (97)
      1-(4-ethylpiperazin-1-yl)-3-[4-(4-hydroxypiperidin-1-yl)phe
      nyl]isoquinoline,
      (98)
```

```
1\(\frac{4-\text{ethylpiperazin-1-yl}}{3-[4-(4-\text{methoxypiperidin-1-yl})\text{phe}
       nyl isoquinoline,
       (99)
       3-[2-(4\acetylpiperazin-1-yl)pyridin-5-yl]-1-(4-ethylpipera
       zin-1-yl) isoquinoline,
       (100)
            3-[4-(4\acetylpiperazin-1-yl)phenyl]-1-(4-ethylpipera
       zin-1-yl)isoquinoline,
       (101)
3-(2-methoxybenzyl)-1-(4-ethylpiperazin-1-yl)isoquino
       line,
       (102)
       3-[\alpha-methyl-(4-methoxybenzyl)]-1-(4-ethylpiperazin-1-yl)iso
       quinoline,
(103)
       3-[\alpha-hydroxy-(2-methoxybenzy])]-1-(4-ethylpiperazin-1-yl) is
       oquinoline,
       (104)
       3-[\alpha-hydroxy-(4-methoxybenzyl)]-1/-(4-ethylpiperazin-1-yl)is
       oquinoline,
       (105)
       3-[\alpha-methyl-\alpha-hydroxy-(4-methoxybenz\chil)]-1-(4-ethylpiperaz)
       in-1-yl) isoquinoline,
       (106)
       1-(1-ethylpiperazin-4-yl)-3-(4-methoxyphenethyl)isoquinolin
       e,
```

```
(107)
             1-(1-ethylpiperazin-4-yl)-3-[2-(2-hydroxyethoxy)phene
       thyl\isoquinoline,
       (108)
       1-(1-ethylpiperazin-4-yl)-3-[3-(2-hydroxyethoxy)phenethyl]i
       soquinoli\ne,
       (109)
       1-(1-ethylp\iperazin-4-yl)-3-[4-(2-hydroxyethoxy)phenethyl]i
       soquinoline,
(110)
             1-(1-\text{ethyl})piperazin-4-\text{yl})-3-\{3-[2-(2-\text{hydroxyethoxy})]ph
       enyl]propyl}isoquinoline,
       (111)
       3-(2-methoxyphenylcarbonyl)-1-(4-ethylpiperazin-1-yl)isoqui
noline,
<u></u>
       (112)
       3-(4-methoxyphenylcarbonyl)-1-(4-ethylpiperazin-1-yl)isoqui
       noline,
       (113)
       3-(4-methoxyindan-1-yl)-1-(4\ethylpiperazin-1-yl)isoquinoli
       ne,
       (114)
       3-(6-methoxyindan-1-yl)-1-(4-ethylpiperazin-1-yl)isoquinoli
       ne,
       (115)
       3-[4-(2-hydroxyethoxy)indan-1-yl)-1 (4-ethylpiperazin-1-yl)
                                     910
```

```
isoquinoline,
(116)
       (8-methoxy-1,2-dihydronaphthalen-4-yl)-1-(4-ethylpi
perazin-\(\frac{1}{2}\)-yl) isoquinoline,
(117)
3-(7-methox)-1,2-dihydronaphthalen-4-yl)-1-(4-ethylpiperazi
n-1-yl) isoquinoline,
(118)
3-(6-methoxy-1,2\dihydronaphthalen-4-yl)-1-(4-ethylpiperazi
n-1-yl) isoquinolike,
(119)
3-(5-methoxy-1,2,3,4\tetrahydronaphthalen-1-yl)-1-(4-ethylp
iperazin-1-yl)isoquinoline,
(120)
3-(6-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)-1-(4-ethylp
iperazin-1-yl)isoquinoline)
(121)
     3-(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)-1-(4-
ethylpiperazin-1-yl)isoquinolihe,
(122)
3-(3-hydroxymethylchroman-6-yl)-1/-(4-ethylpiperazin-1-yl) is
oquinoline,
(123) 1-(4-ethylpiperazin-1-yl)-3-⟨2-pyridyl)isoquinoline,
(124)
1-(1-ethylpiperazin-4-yl)-3-[5-(2-hydroxyethoxy)pyridin-2-y
l]isoquinoline,
```

```
(\)25)
            1-(1-ethylpiperazin-4-yl)-3-[2-(2-hydroxyethoxy)pyrid
       in-5-vl]isoquinoline,
       (126)
       1-(1-ethylpiperazin-4-yl)-3-[2-(2-methoxyethoxy)pyridin-5-y
       l]isoquinoline,
       (127)
       1-(1-ethylphperazin-4-yl)-3-[5-(2-methoxyethoxy)pyridin-2-y
       l]isoquinoline,
(128)
       3-(2-propylcarbonylaminopyridin-5-yl)-1-(4-ethylpiperazin-1
       -yl)isoquinoline,
       (129)
       3-[(2-methylsulfonylpyridin)-5-yl]-1-(4-ethylpiperazin-1-yl
) isoquinoline,
       (130)
       3-[(2-ethylsulfonylpyridin)-5-yl)-1-(4-ethylpiperazin-1-yl)
       isoquinoline,
       (131)
            1-(1-ethylpiperazin-4-y/1)-3-(2-butylpyridin-5-yl)isoq
       uinoline,
       (132)
       1-(1-ethylpiperazin-4-yl)-3-[5-(3\-fluoropropyl)pyridin-2-yl
       ) isoquinoline,
       (133)
       1-(1-ethylpiperazin-4-yl)-3-[2-(3-fluoropropyl)pyridin-5-yl
```

```
]isoquinoline,
       (134
               (1-ethylpiperazin-4-yl)-3-[5-(3-hydroxypropyl)pyrid
       in-2-yl\isoquinoline,
       (135)
       1-(1-ethylpiperazin-4-yl)-3-[2-(3-hydroxypropyl)pyridin-5-y
       l]isoquinoline,
       (136)
       1-(1-ethylpiperazin-4-yl)-3-[2-(3-hydroxybutyl)pyridin-5-yl
]isoquinoline,
       (137)
       1-(1-ethylpiperazin-4-yl)-3-[2-(4-hydroxybutyl)pyridin-5-yl
       ]isoquinoline,
(138)
       1-(1-ethylpiperazin-4/yl)-3-[2-(3-hydroxy-3-methylbutyl)pyr
       idin-5-yl]isoquinoline
       (139)
       1-(1-\text{ethylpiperazin}-4-\text{yl})\{3-[2-(3-methoxypropyl)pyridin-5-y
       l]isoquinoline,
       (140)
       1-(1-ethylpiperazin-4-yl)-3-(3-methoxypropyl)pyridin-5-y
       l]isoquinoline,
       (141)
       1-(1-\text{ethylpiperazin}-4-\text{yl})-3-[5-(3\mbox{methoxypropyl})pyridin-2-y
       l]isoquinoline,
       (142)
```

```
(1-ethylpiperazin-4-yl)-3-[2-(3-ethoxypropyl)pyridi
n-5-yl isoquinoline,
(143)
1-(1-ethylpiperazin-4-yl)-3-[2-[3-(2-propoxy)propyl]pyridin
-5-yl]isoquinoline,
(144)
1-(1-ethylpiperazin-4-yl)-3-[2-(3-methoxybutyl)pyridin-5-yl
]isoquinoline
(145)
     1-(1-\text{ethyl}\text{piperazin-}4-\text{yl})-3-\{2-[2-(2-\text{hydroxy-}2-\text{cycloh})\}
exyl)ethynyl]pyridin-4-yl}isoquinoline,
(146)
     1-(1-ethylpiperazin-4-yl)-3-[2-(1-butynyl)pyridin-5-y
l]isoquinoline,
(147)
1-(4-ethylpiperazin-1-yl)\3-[2-(morpholin-4-yl)pyridin-5-yl
]isoquinoline,
(148)
1-(4-\text{ethylpiperazin}-1-yl)-3-[\frac{1}{3}-(\text{morpholin}-4-yl)\text{pyridin}-2-yl
]isoquinoline,
(149)
     3-[2-(2,6-dimethylmorpholin-4-yl)pyridin-5-yl]-1-(4-e)
thylpiperazin-1-yl)isoquinoline,
(150)
1-(4-ethylpiperazin-1-yl)-3-[2-(thiomorpholin-4-yl)pyridin-
5-yl]isoquinoline,
```

```
98046PCT
```

```
(151)
       1-(4-ethylpiperazin-1-yl)-3-[2-(S-oxythiomorpholin-4-yl)pyr
       idin-\[-yl]isoquinoline,
       (152)
            1-(4-ethylpiperazin-1-yl)-3-[2-(4-hydroxypiperidin-1-
       yl)pyridin\5-yl]isoquinoline,
       (153)
            1-(4-ethxlpiperazin-1-yl)-3-[2-(4-methoxypiperidin-1-
       yl)pyridin-5-yl isoquinoline,
(154)
            1-(4-ethylpiperazin-1-yl)-3-[2-(4-hydroxymethylpiperi
       din-1-yl)pyridin-5-yl]isoquinoline,
       (155)
       3-[2-(5,6-dihydro-2H-py]  an-4-yl) pyridin-5-yl]-1-(4-ethylpip)
erazin-1-yl) isoquinoline,
       (156)
       3-[2-(tetrahydropyran-4-yl)pyridin-5-yl]-1-(4-ethylpiperazi
       n-1-yl) isoquinoline,
       (157)
            3-[4-[3-(3-pyridyl)propoxy]phenyl]-1-(4-ethylpiperazi
       n-1-yl) isoquinoline,
       (158)
            1-(1-ethylpiperazin-4-yl)-3-(1-phenylpiperazin-4-yl)i
       soquinoline,
       (159)
            1-(1-ethylpiperazin-4-yl)-3-[1-(2-pyridyl)piperazin-4
```

```
n
M
```

```
-yllisoquinoline,
(160)
3-[4-(4-morpholinyl)phenyl]-1-(4-ethylpiperazin-1-yl)isoqui
noline,
(161)
1-(1-ethylpiperazin-4-yl)-3-(2-hydroxymethylthiophen-4-yl)i
soquinoline >
(162)
1-(1-ethylpiperazin-4-yl)-3-(2-hydroxymethylthiophen-5-yl)i
soquinoline,
(163)
     1-(1-ethylpiparazin-4-yl)-3-[2-(2-hydroxyethyl)thioph
en-5-yl]isoquinoline
(164)
     1-(1-ethylpiperazin-4-yl)-3-[2-(1-hydroxypropyl)thiop
hen-4-yl]isoquinoline,
(165)
     1-(1-\text{ethylpiperazin}-4-y)) -3-[2-(1-hydroxypropyl)thiop
hen-5-yl) isoquinoline,
(166)
     3-[2-(tetrahydropyran-4-yl)thiophen-5-yl]-1-(4-ethylp
iperazin-1-yl) isoquinoline,
(167)
1-(1-\text{ethylpiperazin-4-yl})-3-[4-\text{methy}]-5-(2-\text{hydroxyethyl})thi
azol-2-yl]isoquinoline,
(168)
```

```
(1-ethylpiperazin-4-yl)-3-(2-hydroxymethylthiazol-5
       <u>-yl)jsoqu</u>inoline,
       (169)
            1-(1-ethylpiperazin-4-yl)-3-[1-(2-hydroxyethyl)pyrazo
       1-3-yl]isoquiholine,
       (170)
       1-(1-ethylpipera zin-4-yl)-3-[(1-hydroxypropyl)thiazol-5-yl]
       isoquinoline,
       (171)
            1-(1-ethylpiperazin-4-yl)-3-[2-(3-hydroxypropyl)thiaz
ol-5-yl]isoquinoline,
       (172)
            1-(1-ethylpiperazin-4-yl)-3-[2-(3-methoxypropyl)thiaz
       ol-5-yl]isoquinoline,
(173)
       1-(1-ethylpiperazin-4-yl)-3-\(2-(4-morpholinyl)thiazol-5-yl)
       isoquinoline,
       (174)
            3-(2-propylcarbonylaminopyrimidin-5-yl)-1-(4-ethylpip
       erazin-1-yl) isoquinoline,
       (175)
       3-[2-(5,6-dihydro-2H-pyran-4-yl)thiophen-4-yl]-1-(4-ethylpi
       perazin-1-yl) isoquinoline,
       (176)
       3-[2-(5,6-dihydro-2H-pyran-4-yl)thiophen-<math>\frac{4}{3}-yl]-1-(4-ethylpi)
       perazin-1-yl)isoquinoline,
```

```
(1)77
     ethylpiperazin-4-yl)-3-(phenylethynyl)isoquinoline,
(178)
     1- (1-ethylpiperazin-4-yl)-3-(4-methoxyphenyl)ethynyli
soquinoline,
(179)
1-(1-ethylpiperazin-4-yl)-3-(2-pyridyl)ethynylisoquinoline,
(180)
3-[3-(4-morpholinyl)-1-propynyl]-1-(4-ethylpiperazin-1-yl)i
soquinoline,
(181)
1-(1-ethylpiperazin-4-yl)-3-(3-phenyl-1-propynyl)isoquinoli
ne,
(182)
1-(1-ethylpiperazin-4-y\)-3-(4-phenyl-1-butynyl)isoquinolin
e,
(183)
1-(1-ethylpiperazin-4-yl)-3-(4-(2-hydroxyethoxy)phenylethyn
yl]isoquinoline,
(184)
     1-(1-ethylpiperazin-4-yl)-3\benzoylethynylisoquinolin
e,
(185)
     1-(1-ethylpiperazin-4-yl)-3-(2,\dagged-dimethoxyphenylethyn
yl) isoquinoline,
(186)
```

```
1_{1}(1-\text{ethylpiperazin-4-yl})-3-[3-(3-\text{methoxypropyl})-5-\text{pyridyl}]
ethynylisoquinoline,
(187)
1-(1-ethylpiperazin-4-yl)-3-[2-(2-hydroxyethoxy)phenyl]ethy
nylisoquinoline,
(188)
1-(1-ethylpiperazin-4-yl)-3-[3-(2-hydroxyethoxy)-2-pyridyl]
ethynylisoquinoline,
(189)
1-(1-ethylpinerazin-4-yl)-3-(trans-2-phenylethenyl)isoquino
line,
(190)
1-(1-ethylpiperazin-4-yl)-3-[trans-2-(4-methoxyphenyl)ethen
yl]isoquinoline,
(191)
1-(1-\text{ethylpiperazin-4-yl})-3-[\text{cis-2-}(4-\text{methoxyphenyl})]ethenyl
]isoquinoline,
(192)
     1-(1-ethylpiperazin-4-yl)-3-(cis-1-methyl-2-phenyleth
enyl) isoquinoline,
(193)
1-(1-ethylpiperazin-4-yl)-3-(tra\ns-1-methyl-2-phenylethenyl
) isoquinoline,
(194)
1-(1-ethylpiperazin-4-yl)-3-[trans-2-\(2-hydroxyethoxyphenyl
)ethenyl]isoquinoline,
```

919



```
osaasa. aslad
```

```
(195)
1-(1-ethylpiperazin-4-yl)-3-[trans-2-(2-methoxyphenyl)ethen
yl]isoquinoline,
(196)
     1-(1-ethylpiperazin-4-yl)-3-(trans-2-methyl-2-phenyle
then-1-yl)isoquinoline,
(197)
1-(1-ethylpiperazin-4-yl)-3-[trans-2-(2-fluorophenyl)etheny
l]isoquinoline,
(198)
     1-(1-\text{ethylpipera}\sin -4-y1)-3-[(E)-4-(2-\text{hydroxyethoxy})s]
tyryl]isoquinoline,
(199)
     1-(1-ethylpiperazin-4-yl)-3-{trans-2-[3-(2-hydroxyeth
oxy) phenyl] ethenyl } isoquino \( \) ine,
(200)
     3 - \{(E) - 2 - [2 - (4 - morpholiny)]\} pyridin-5-yl]ethenyl\} - 1 - (4 - morpholiny)
-ethylpiperazin-1-yl)isoquinoline,
(201)
3-[(E)-2-(4-methylsulfonylphenyl)ethenyl]-1-(4-ethylpiperaz
in-1-yl) isoquinoline,
(202)
     3-[(E)-2-(2-methylsulfonylphenyl) athenyl]-1-(4-ethylp
iperazin-1-yl)isoquinoline,
(203)
3-[(E)-2-(4-methylsulfonylmethylphenyl)ethenyl]-1-(4-ethylp
```

```
iperazin-1-yl) isoquinoline,
        (204)
       3-{(E)-2-[3-(4-morpholinyl)phenyl]ethenyl}-1-(4-ethylpipera
       zin-1-yl\isoquinoline,
        (2.05)
             3-\{(E)\-2-[4-(4-morpholinyl)phenyl]ethenyl\}-1-(4-ethyl)
       piperazin-1-\(\chi_1\) isoquinoline,
        (206)
             3-\{(E)-2-methyl-2-[4-(4-morpholinyl)phenyl]ethenyl}-1
       -(4-ethylpiperazin-1-yl)isoquinoline,
ogasaso ostioi
        (207)
             3-\{(E)-2-meth \chi l-2-[3-(4-morpholinyl)phenyl]ethenyl}-1
       -(4-ethylpiperazin-1\yl)isoquinoline,
        (208)
             3-[(E)-2-methoxymethyl-2-phenylethenyl]-1-(4-ethylpip
       erazin-1-yl)isoquinoline,
        (209)
             1-(1-\text{ethylpiperazin-}4-y))-3-[\text{trans-}2-(2-\text{pyridyl})]ethen
       yl]isoquinoline,
        (210)
             1-(1-ethylpiperazin-4-yl)-3\[trans-2-(4-pyridyl)ethen
       yl]isoquinoline,
        (211)
       1-(1-ethylpiperazin-4-yl)-3-[3-(2-methoxy)phenyl-2-propenyl
       ]isoquinoline,
        (212)
```

```
(1-ethylpiperazin-4-yl)-3-[3-(2-hydroxyethoxy)pheny
       1-1-propenyl]isoquinoline,
       (213)
       3-\{(E)-2-(2-(4-morpholinyl)) pyridin-5-yl] ethenyl\}-1-(4-ethyl)
       piperazin-\f-yl)isoquinoline,
       (214)
            3-\{(E)-2-[3-(4-morpholinyl)pyridazin-6-yl]ethenyl\}-1-
       (4-ethylpiperazin-1-yl)isoquinoline,
       (215)
ogaszaso osıl
            3-\{(E)-2-[4-(4-morpholinyl)pyrimidin-6-yl]ethenyl\}-1-
       (4-ethylpiperazin-1-yl) isoquinoline,
       (216)
       3-\{(E)-2-[2-(4-morpholinyl)pyrazin-6-yl]ethenyl\}-1-(4-ethyl)
       piperazin-1-yl) isoquinoline,
       (217)
            3-[1-(4-methoxypheryl)ethenyl]-1-(4-ethylpiperazin-1-
       yl)isoquinoline,
       (218)
            1-(1-\text{ethylpiperazin-}4-\sqrt{1})-N-\text{phenyl-}3-\text{isoquinoline}
       oxamide,
       (219)
       1-(1-ethylpiperazin-4-yl)-3-(4-methoxyanilinomethyl)isoquin
       oline,
       (220)
       1-(1-ethylpiperazin-4-yl)-3-(4-methoxybenzylamino)isoquinol
       ine,
```

```
(22)
             1-(1-ethylpiperazin-4-yl)-4-methoxy-3-(4-methoxypheny
       1) isoq\inoline,
       (222)
            1-(1\ethylpiperazin-4-yl)-5-methyl-3-(4-methoxyphenyl
       ) isoquinoline,
       (223)
       1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxyethoxy)phenyl]-6-f
       luoroisoquinoli\ne,
       (224)
1-(1-ethylpikerazin-4-yl)-6-fluoro-3-(4-methoxyphenyl
       ) isoquinoline,
       (225)
       1-(1-\text{ethylpiperazin-4-}\chi l)-6-\text{methyl-3-}(4-\text{methoxyphenyl}) isoqu
inoline,
       (226)
       1-(4-ethylpiperazin-1-yl)-6 methoxy-3-(4-trifluoromethylphe
       nyl) isoquinoline,
       (227)
            1-(4-ethylpiperazin-1-yl) \6-methoxy-3-(4-methoxypheny
       1) isoquinoline,
       (228)
       1-(1-ethylpiperazin-4-yl)-7-methyl -3-(4-methoxyphenyl)isoqu
       inoline,
       (229)
       1-(4-ethylpiperazin-1-yl)-7-fluoro-3\(4-methoxyphenyl)isoqu
```

```
uin oline,
(239)
1-(1-cyclopropylpiperazin-4-yl)-3-(4-methoxyphenyl)isoquino
line,
(240)
1-(1-allylpiperazin-4-yl)-3-(4-methoxyphenyl)isoquinoline,
(241)
     1-[1-(2-f\luoroethyl)piperazin-4-yl]-3-(4-methoxypheny
1) isoquinoline,
(242)
     1-[4-(2-hydroxyethyl)piperazin-1-yl]-3-(4-methoxyphen
yl)isoquinoline,
(243)
3-(4-ethylsulfonylamin@methylphenyl)-1-[4-(2-hydroxyethyl)p
iperazin-1-yl]isoquinoli\ne,
(244)
     8-(4-ethylpiperazin-1\forallyl)-6-(4-methoxyphenyl)pyrido[2
,3-c]pyridine,
(245)
8-(1-\text{ethylpiperazin}-4-\text{yl})-6-[4\(2-\text{hydroxyethoxy})\text{phenyl}]-1,7
-naphthyridine,
(246)
8-(1-ethylpiperazin-4-yl)-6-\{4-[($),-2-hydroxypropoxy]phenyl
}-1,7-naphthyridine,
(247)
     8-(1-ethylpiperazin-4-yl)-6-[4-\dangle3-hydroxypropyl)pheny
```

```
NJ-1,7-naphthyridine,
(248)
     8-(1-ethylpiperazin-4-yl)-6-[4-(3-hydroxybutyl)phenyl
]-1,7\-naphthyridine,
(249)
     8-\(\)1-ethylpiperazin-4-yl)-6-[4-(3-hydroxy-1-fluoropro
pyl)phenyl]-1,7-naphthyridine,
(250)
     8-(1-ethylpiperazin-4-yl)-6-[4-(2-hydroxy-2-methylpro
poxy) phenyl] -1\sqrt{7}-naphthyridine,
(251)
1-(1-ethylpiperaxin-4-yl)-3-(4-methoxyphenyl)-2,6-naphthyri
dine,
(252)
5-(1-ethylpiperazin-4-yl)-7-(4-methoxyphenyl)-1,6-naphthyri
dine,
(309)
1-(1-\text{ethylpiperazin}-4-y1) + 3-[4-(2-\text{hydroxy}-2-\text{methylpropoxy}) p
henyl]isoquinoline,
(310)
1-(1-\text{ethylpiperazin}-4-\text{yl})-3-(\beta-\text{phenyl}-3-\text{hydroxy}-1-\text{propynyl})
isoquinoline,
(311)
1-(1-ethylpiperazin-4-yl)-8-methyl-3-(4-methoxyphenyl)isoqu
inoline,
(312)
```

```
1 (1-ethylpiperazin-4-yl)-4-methyl-3-(4-methoxyphenyl)isoqu
indline,
(313)
      -[1-(2-cyanoethyl)piperazin-4-yl]-3-(4-methoxyphenyl
) isoquipoline,
(314)
1-[1-(carbamoylmethyl)piperazin-4-yl]-3-(4-methoxyphenyl)is
oquinoline,
(315)
1-(4-ethylsulfdnylpiperazin-1-yl)-3-(4-methoxyphenyl)isoqui
noline,
(318)
1-(4-ethylpiperazin\1-yl)-3-(4-methoxyphenyl)isoquinoline,
(319)
     1-\{N-[2-(2-dimeth)]\} amino) ethyl]-N-methylamino}-3-(4-m
ethoxyphenyl) isoquinoline,
(320) 1-(4-morpholiny1)-3 \rightarrow (4-methoxypheny1) isoquinoline,
(321)
     1-(1-ethyl-2-pyrrolidinyl)methylamino-3-(4-methoxyphe
nyl) isoquinoline,
(322)
     3-(4-methoxyphenyl)-1-[2-(2\pyridyl)ethyl]aminoisoqui
noline,
(323)
1-[2-(4-morpholinyl)ethyl]amino-3-(4\methoxyphenyl)isoquino
line,
```

```
(324) 1-(1-imidazolyl)-3-(4-methoxyphenyl)isoquinoline,
       (325)
       1-[4-\piperidin-1-yl)piperidin-1-yl]-3-(4-methoxyphenyl)iso
       quinolihe,
       (326)
       1-(1,4,5,6) tetrahydropyrimidin-1-yl)-3-(4-methoxyphenyl) iso
       quinoline,
       (327)
       1-(1-ethylhomopiperazin-4-yl)-3-(4-methoxyphenyl)isoquinoli
DSETED DELICI
       ne,
       (328)
       3-(4-methoxyphenyl) \1-(4-ethylpiperazin-1-yl)methylisoquino
       line,
       (329)
       1-(4-\text{ethylpiperazin}-1-y1) \setminus 3-[3-(2-\text{hydroxyethoxy}) \text{ phenyl}] \text{ isoq}
       uinoline,
       (330)
       1-(4-ethylpiperazin-1-yl)-3-(4-ethoxyphenyl)isoquinoline,
       (331)
       1-(4-\text{ethylpiperazin}-1-y1)-3-[4-(3-\text{hydroxypropoxy}) phenyl] iso
       quinoline,
       (332)
       1-(4-ethylpiperazin-1-yl)-3-(3,4-ethylenedioxyphenyl)isoqui
       noline,
       (333)
       1-(4-ethylpiperazin-1-yl)-3-[4-(3-methoxypropyl)phenyl]isoq
```

```
uindline,
       (334)
                (4-ethylpiperazin-1-yl)-3-[4-(n-butyl)phenyl]isoqui
       noline,
       (335)
             1-(4-ethylpiperazin-1-yl)-3-(4-methoxypyridin-2-yl)is
       oquinoline,
       (336)
             1-(4-ethylp\(\frac{1}{4}\)perazin-1-yl)-3-[4-(1,3-dioxolan-2-ylmeth
       yloxy) phenyl] isoquinoline,
oseseso osaa
       (337)
             1-(4-ethylpiperazin-1-yl)-3-[4-(2,3-dihydroxypropoxy)
       phenyl]isoquinoline,
       (338)
       1-(4-\text{ethylpiperazin}-1-y1) + 3-(4-\text{carbamoylmethoxyphenyl}) isoqu
       inoline,
       (339)
       1-(4-ethylpiperazin-1-yl)-3-(4-trifluoromethoxyphenyl)isoqu
       inoline,
       (340)
             1-(4-\text{ethylpiperazin}-1-y1)-3-(4-(2-\text{hydroxyethoxy})-3-\text{me}
       thoxyphenyl]isoquinoline,
       (341)
       1-(4-ethylpiperazin-1-yl)-3-(4-methylthiophenyl)isoquinolin
       e,
       (342)
```

```
1-(4-ethylpiperazin-1-yl)-3-(4-methylsulfonylphenyl)isoquin
oline
(343)
1-(4-\text{eth})lpiperazin-1-yl)-3-[4-(2-hydroxy-3-methoxypropoxy)
phenyl]isoquinoline,
(344)
1-(4-ethylpiperazin-1-yl)-3-(2-methoxypyridin-5-yl)isoquino
line,
(345)
1-(4-ethylpiperaz/in-1-yl)-3-[4-(1-hydroxy-1-methylethyl)phe
nyl]isoquinoline,
(346)
1-(4-ethylpiperazin-1-\forall 1)-3-{4-[N-(2-hydroxyethyl) carbamoyl
]phenyl}isoquinoline,
(347)
     1-(4-\text{ethylpiperazin}-1-\sqrt{1})-3-\{4-[N-(2-\text{hydroxyethyl})] sul
famoyl]phenyl}isoquinoline,
(348)
1-(4-\text{ethylpiperazin}-1-y1)-3-[4-(1-\text{hydroxyethyl})\text{phenyl}]\text{isoqu}
inoline,
(349)
1-(4-ethylpiperazin-1-yl)-3-[4-(propylsulfonyl)phenyl]isoqu
inoline,
(350)
1-(4-ethylpiperazin-1-yl)-3-{4-[(3-methoxypropyl)sulfonyl]p
henyl}isoquinoline,
```

```
1-(4 + \text{ethylpiperazin}-1-y1)-3-[4-(2-hydroxyethyl)phenyl]isoqu
inoline,
(352)
     1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxypropyl)sulfo
nylphenyl] isoquinoline,
(353)
1-(4-ethylpiperazin-1-yl)-3-[4-(N-propylsulfamoyl)phenyl]is
oquinoline,
(354)
     1-(4-ethylpiperazin-1-yl)-3-{4-{N-(2-methoxyethyl)sul
famoyl]phenyl}isoquinoline,
(355)
     1-(4-ethylpiperazin-1-yl)-3-[4-(3-fluoropropyl)sulfon
ylphenyl]isoquinoline,
(356)
1-(4-\text{ethylpiperazin}-1-y1)-3-\sqrt{4-(pyrrolidin}-1-y1)} sulfonylphe
nyl]isoquinoline,
(357)
1-(4-ethylpiperazin-1-yl)-3-[4-(N-ethylsulfamoyl)phenyl]iso
quinoline,
(358)
1-(4-ethylpiperazin-1-yl)-3-[4-(N-me/thyl-N-propylsulfamoyl)
phenyl]isoquinoline,
(359)
1-(4-ethylpiperazin-1-yl)-3-[4-(N,N-diethylsulfamoyl)phenyl
```

```
]isoquinoline,
(360)
1-(4-ethylpiperazin-1-yl)-3-(4-[N-(1-methylpropyl)sulfamoyl
]phenyl \isoquinoline,
(361)
     1-(4-ethylpiperazin-1-yl)-3-[4-(N-methylsulfamoyl)phe
nyl]isoquinoline,
(362)
1-(4-ethylpiperazin-1-yl)-3-[4-(N,N-dimethylsulfamoyl)pheny
l]isoquinoline,
(363)
1-(4-ethylpiperazin-\(\frac{1}{2}\)-yl)-3-[4-(N-cyclopropylsulfamoyl)phen
yl]isoquinoline,
(364)
1-(4-\text{ethylpiperazin}-1-y1) \frac{3}{(4-(N-\text{ethylcarbamoyl}) phenyl} iso
quinoline,
(365)
1-(4-\text{ethylpiperazin}-1-y1)-3-[4+(N-\text{methylcarbamoyl})phenyl] is
oquinoline,
(366)
1-(4-ethylpiperazin-1-yl)-3-[4-(ethylsulfonyl)phenyl]isoqui
noline,
(367)
1-(4-ethylpiperazin-1-yl)-3-(3-fluoro-4\-methoxyethoxyphenyl
) isoquinoline,
(368)
```

```
\4-ethylpiperazin-1-yl)-3-(3,5-difluoro-4-methoxyethoxyph
enyl/isoquinoline,
(369)
1-(4-ethxlpiperazin-1-yl)-3-[3-fluoro-4-(2-hydroxyethoxy)ph
enyl]isoquinoline,
(370)
1-(4-ethylpiperazin-1-yl)-3-[3,5-difluoro-4-(2-hydroxyethox
y) phenyl] isoquinoline,
(371)
1-(4-ethylpiperazin-\frac{1}{2}-yl)-3-[3,5-difluoro-4-(2-fluoroethoxy
)phenyl]isoquinoline,
(372)
1-[4-(2-hydroxyethyl)pipexazin-1-yl]-3-[4-(N-ethylsulfamoyl
)phenyl]isoquinoline,
(373)
1-[4-(2-hydroxyethyl)piperazin-\(\frac{1}{2}\)-yl]-3-[4-(propylsulfonyl)p
henyl]isoquinoline,
(374) 1-(4-ethylpiperazin-1-yl)-3-\(()phenylthio)) isoquinoline,
(375)
1-(4-ethylpiperazin-1-yl)-3-[4-(2-oxopropyl)phenyl]isoquino
line,
(376)
1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxypropyl)phenyl]isoq
uinoline,
(377)
1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxy-2-methylpropyl)ph
```

```
enyl]isoquinoline,
(378)
1-(4-ethylpiperazin-1-yl)-3-(2-pyridylthio)isoquinoline,
(379)
1-(4-ethy)piperazin-1-yl)-3-(4-butyrylphenyl)isoquinoline,
(380)
1-(4-ethylpiperazin-1-yl)-3-[4-(1-hydroxyiminobutyl)phenyl]
isoquinoline,
(381)
1-(4-ethylpiperazin-1-yl)-3-[4-(N-methyl-N-propylcarbamoyl)
phenyl]isoquinoline,
(382)
1-(4-\text{ethylpiperazin}-1-y1) -3-(4-[N-(2-\text{hydroxyethyl})-N-\text{methyl})
carbamoyl]phenyl}isoquinoline,
(383)
1-(4-ethylpiperazin-1-yl)-3-(4-(3-hydroxy-1-methylpropyl)ph
enyl]isoquinoline,
(384)
1-(4-\text{ethylpiperazin}-1-y1)-3-[4-(N-propylcarbamoy1)-3-fluoro
phenyl]isoquinoline,
(385)
1-(4-\text{ethylpiperazin}-1-y1)-3-[3-\text{fluoro}-4-(2-\text{hydroxyethyl})] phe
nyl]isoquinoline,
(386)
1-(4-\text{ethylpiperazin}-1-y1)-3-[4-(3-\text{hydroxy}-2-\text{methylpropy1})ph]
enyl]isoquinoline,
```

```
\387)
  Ma-ethylpiperazin-1-yl)-3-[4-(1,2-dihydroxyethyl)phenyl]i
soquinoline,
(388)
1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxy-3-methylbutyl)phe
nyl]isoquinoline,
(389)
1-(4-ethylpiperazin-1-yl)-3-[4-(3-hydroxy-2,2-dimethylpropy
1) phenyl] isoquinoline,
(390)
1-(4-ethylpiperazin\1-yl)-3-[4-(3-hydroxy-1,1-dimethylpropy
1) phenyl] isoquinoline)
(391)
1-(4-\text{ethylpiperazin}-1-y1) \setminus 3-[4-(1,3-\text{dihydroxy}-2,2-\text{dimethylp}]
ropyl)phenyl]isoquinoline,
(392)
1-(4-ethylpiperazin-1-yl)-3-(4-\(4-(2-hydroxyethyl)) tetrahydr
opyran-4-yl]phenyl}isoquinoline,
(393)
     1-(4-ethylpiperazin-1-yl)-3-(2-hydroxymethylindan-5-y
1) isoquinoline,
(394)
1-(4-ethylpiperazin-1-yl)-3-[(3,4-dihydroxymethyl)phenyl]is
oquinoline,
(395)
1-(4-\text{ethylpiperazin}-1-y1)-3-[4-(1,4-\text{dioxan}-2-y]) phenyl] isoq
```

```
uinoline,
(396)
1-(4-ethylpiperazin-1-yl)-3-[4-(tetrahydrofuran-2-yl)phenyl
]isoquiholine,
(397)
1-(4-ethylpiperazin-1-yl)-3-[4-(cis-4-hydroxycyclohexyl)phe
nyl]isoquinoline,
(398)
1-(4-ethylpiperazin-1-yl)-3-[4-(trans-4-hydroxycyclohexyl)p
henyl]isoquinoline,
(399)
     1-(4-ethylpiperazin-1-yl)-3-[4-(tetrahydropyran-4-yl)
methylphenyl]isoquinol\ine,
(400)
4-chloro-1-(4-ethylpipera\(\frac{1}{2}\)in-1-yl)-3-(4-methoxyphenyl)isoqu
inoline,
(401)
1-(4-ethylpiperazin-1-yl)-3-[4-(cis-4-hydroxytetrahydropyra
n-2-yl)phenyl]isoquinoline,
(402)
     1-(4-\text{ethylpiperazin}-1-y1)-3-(4-(\text{trans}-4-\text{hydroxytetrah})
ydropyran-2-yl)phenyl]isoquinoline,
(403)
1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxypropoxy)phenyl]iso
quinoline,
(404)
```

```
1-(4-\text{ethylpiperazin}-1-y1)-3-[4-(2-\text{hydroxy}-1-\text{methyleth})]
oxy) phenyl] isoquinoline,
(405)
1-(4-ethylpiperazin-1-yl)-3-(2-methoxypyridin-4-yl)isoquino
line,
(406)
     1-(4-ethylpiperazin-1-yl)-3-(2-benzyloxypyridin-4-yl)
isoquinoline and
1-(4-ethylpiperazin-1-yl)-3-(2-chloropyridin-4-yl)isoquinol
ine,
(407)
1-(4-\text{ethylpiperazin}-1 + y1)-3-[2-(2-\text{methoxyethoxy}) \text{ pyridin}-4-y]
l]isoquinoline,
(408)
     1-(4-ethylpiperazin-\(\lambda\)-yl)-3-(4-carbamoylphenyl)isoqui
noline,
(409)
     1-(4-\text{ethylpiperazin}-1-y1)\3-[4-(cyclohexylhydroxymeth
yl)phenyl]isoquinoline,
(410)
     1-(4-ethylpiperazin-1-yl)-3-[4-(4-hydroxytetrahydropy
ran-4-yl)phenyl]isoquinoline,
(411)
      1-(4-\text{ethylpiperazin}-1-y1)-3-\{4-[b]is(1,3-\text{thiazol}-2-y1)
hydroxymethyl]phenyl}isoquinoline,
(412)
```



```
1-(4-\text{ethylpiperazin}-1-y1)-3-[4-(1,3-\text{thiazol}-2-y1)\,\text{hydr}
oxymethylphenyl]isoquinoline,
(413)
     1-(4\ethylpiperazin-1-yl)-3-[(3-pyridyl)hydroxymethyl
]isoquinolike,
(414)
1-(4-ethylpipekazin-1-yl)-3-(1-indanon-5-yl)isoquinoline,
(415)
1-(4-ethylpiperazin-1-yl)-3-(1-hydroxyindan-5-yl)isoquinoli
ne,
(416)
1-(4-\text{ethylpiperazin}-1-y1)-3-[4-(3-\text{hydroxy}-3-\text{methylbutyl})-3-
fluorophenyl]isoquinoline,
(417)
1-(4-\text{ethylpiperazin}-1-y1)-\S-[3-\text{cyano}-4-(2-\text{hydroxyethoxy})\text{ phe}
nyl]isoquinoline,
(418)
1-(4-ethylpiperazin-1-yl)-3-[3-\(3-hydroxypropyl)phenyl]isoq
uinoline,
(419) 1-(4-ethylpiperazin-1-yl)-3-benzylisoquinoline,
(420)
1-(4-ethylpiperazin-1-yl)-3-(2-hydroxy-2-phenylethyl)isoqui
noline,
(421)
3-benzamide-1-(4-ethylpiperazin-1-yl)isoquinoline,
(422)
```

3-benzenesulfonamide-1-(4-ethylpiperazin-1-yl)isoquinoline,

1-(4-ethylpiperazin-1-yl)-3-(4-methoxybenzenesulfonamide)isoquinoline,

(424)

1-(4-ethylpiperazin-1-yl)-3-(4-methoxyphenoxymethyl)isoquin oline,

(425)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxyethoxy)-2-me thoxyphenyl]isoquinoline,

(426)

1-(4-ethylpiperazin-1-yl)-3-[4-(2-hydroxycyclohexylox y)phenyl]isoquinoline,

(427)

4-(4-ethylpiperazin-1-yl)-2-(4-methoxyphenyl) quinazoline, and

(428)

1-(4-ethylpiperazin-1-yl)-3-(4\methoxyphenyl)-7-azaisoquino line.

- 7. A medicinal composition which comprises a pharmaceutically effective dose of the condensed pyridine compound as claimed in Claim 1, its pharmaceutically acceptable salt or hydrates thereof, and pharmaceutically acceptable carriers.
- 8. An agent for treating, ameliorating or preventing diseases against which seroton in an tagonism is efficacious, which

comprises the condensed pyridine compound as claimed in Claim

1, its pharmaceutically acceptable salt or hydrates thereof as
the active ingredient.

- 9. An agent for treating, ameliorating or preventing spastic paralysis, which comprises the condensed pyridine compound as claimed in Claim 1, its pharmaceutically acceptable salt or hydrates thereof as the active ingredient.
- 10. A muscle relaxant which comprises the condensed pyridine compound as claimed in Claim 1, its pharmaceutically acceptable salt or hydrates thereof as the active ingredient.
- 11. Amethod for treating diseases against which serotonin antagonism is efficacious or spastic paralysis, or ameliorating myotonia, which comprising the step of administering a pharmaceutically effective dose of the condensed pyridine compound as claimed in Claim 1, its pharmaceutically acceptable salt or hydrates thereof to a patient.

add A4

add b3